

HP LaserJet 9040/9050 Printer series



Increase efficiency with high-performance, high-volume, black-and-white printing up to A3 with paper-handling options, including an 8-bin mailbox. Get proven HP reliability and maximised productivity with powerful management features and optional HP solutions.

These wide-format, black-and-white printers provide general office users in demanding workgroup environments and departments outstanding high-volume performance with proven HP reliability and design.



HP LaserJet 9040
HP LaserJet 9050

Extensive versatility.

- Use the optional 8-bin mailbox to assign each bin to an individual, workgroup, or a department. The mailbox has a sorter/collator, a stacker, and a job separator for fast, simple document customisations.
- Employ an optional 3,000-sheet stacker, 3,000-sheet stapler/stacker, or a multifunction finisher for booklets to enable efficient document production.
- Minimise user intervention and maximise flexibility with an optional input capacity of up to 3,100 sheets and output of up to 3,600 sheets.



HP LaserJet 9040n,
HP LaserJet 9050n,
shown with optional
2000-sheet input tray

Cost effective and efficient to manage.

- Save on higher print volumes with HP's highly cost-efficient printers, which use an HP Smart Print cartridge yielding 30,000 pages¹.
- Enjoy effortless network management with HP Web Jetadmin², providing remote installation, configuration and proactive management of your network peripherals.
- Choose between the HP LaserJet 9050 for an impressive 50 ppm in simplex and duplex mode³, or the entry level HP LaserJet 9040, the affordable 40 ppm alternative with no compromise in versatility and upgradeability.



HP LaserJet 9040dn,
HP LaserJet 9050dn,
shown with optional
2000-sheet input tray and
8-bin mailbox

Fast and extremely reliable.

- Easily accommodate large volumes in departmental and light production environments with a duty cycle of 300,000 pages per month.
- Experience fast, worry free performance with print speeds of up to 50 ppm⁴ and a first page out in less than 8 seconds.
- Complex documents pose no problem for the fast 533 MHz processor and up to 512 MB of double data rate (DDR) memory.
- Enable simple and secure printing with an intuitive 10 key LCD control panel. The private job feature allows confidential document printing and proof-and-hold feature lets you review a copy before printing.

¹Declared yield value in accordance with ISO/IEC 19752.

²Standard on HP LaserJet 9050n and 9050dn model printers

³HP Automatic Duplex Unit: optional on HP LaserJet 9050/n printers, standard on HP LaserJet 9050dn Printer.

⁴40 ppm on the HP LaserJet 9040, 50 ppm on the HP LaserJet 9050

HP LaserJet 9040/9050 Printer series

1. Automatic two-sided printing unit offers duplexing at full engine speed
2. Control panel with 10-key number pad simultaneously displays up to four lines of text and animated graphics
3. 100-sheet multipurpose tray handles heavy custom media up to 58 lb bond or 216 g/m²
4. Adjustable 500-sheet input trays 2 and 3
5. Optional 2000-sheet input tray 4 delivers high-volume printing
6. Optional 8-bin mailbox enables automatic document sorting for individuals and departments
7. HP Jetdirect Fast Ethernet internal print server enables networking
8. Large standard memory (64 MB for base models or 128 MB for n/dn models) and a powerful 533 MHz processor enable complex tasks to be performed quickly
9. Bidirectional IEEE-1284-B compliant parallel port

HP LaserJet 9050dn printer shown with optional 2000-sheet input tray and optional 8-bin mailbox



Versatile design

Add the following optional components to your HP LaserJet 9040/9050 Printer series to meet the needs of your business:

- 2,000-sheet input tray for up to 3,100-sheet capacity
- 8-bin mailbox, stacker, stapler/stacker, or multifunction finisher
- Add memory up to 512 MB
- Use the two available EIO slots for an optional HP Jetdirect wireless print server, 20 GB HP high-performance EIO hard disk, or HP and third-party software solutions for business functions including form, cheque, and barcode printing

Series at a glance

HP LaserJet 9040/9050: Base models

- Two 500-sheet input trays for 1,000-sheet capacity
- 64 MB memory
- Two empty EIO slots

HP LaserJet 9040n/9050n: n models

All of the features of the base model plus:

- 100-sheet multipurpose tray for 1,100-sheet capacity
- HP Jetdirect Fast Ethernet embedded print server
- 128 MB total memory

HP LaserJet 9040dn/9050dn: dn models

All of the features of the n model plus:

- Automatic two-sided printing unit

Make life easier and get the most out of your HP LaserJet 9040/9050 Printer series with versatile, extended solutions.

Management control

The HP LaserJet 9050 Printer series incorporates advanced hardware and software features to make device management scalable – from a critical single device to your complete network of connected peripherals. The HP Embedded Web Server provides direct access to the HP LaserJet 9050 Printer series on the network and allows full control to remotely configure device settings and e-mail alerts, monitor status, and diagnose device problems. HP Web Jetadmin enables remote installation, configuration, diagnostics and proactive management for all your network peripherals from a common web browser – device problems can be resolved quickly with direct access to targeted self-help information via the web.

Powerful business printing solutions

Integrated business printing solutions from HP and key partners provide unsurpassed compatibility in almost any business environment – even those with multiple hardware and software platforms. Solutions can be mixed, matched and customised to provide you with a solution that truly meets your requirements. Consulting, implementation services and support are also available.

The range of intelligent printing solutions for the HP LaserJet 9040/9050 is designed to:

- maximise productivity
- reduce cost
- improve network printer utilisation
- accomplish everyday printing tasks more easily

Available solutions include:

- **Barcode printing** in any size or direction, automatic checksum and text, without specialty barcode printers. Recommended by SAP.
- **Cluster printing** to maximise throughput and usage, and to provide capacity and volume of ‘big iron’ printers at a fraction of the price.
- **Pull printing** to provide flexible and personalised printing by holding back printouts (on pull enabled printers) until an authorised recipient collects them.
- **Forms printing** is platform-independent, uses complex data remapping and calculations to produce customised and localised multipart forms from legacy and business applications.
- **Print cost tracking** to plan printer and consumable purchases, using real time and statistical information on printer usage.
- **Mobile printing solutions** with HP Jetdirect wireless Ethernet print servers, HP Bluetooth® wireless print adapter, and the HP Mobile Print Driver for Windows, a common driver for basic printing to nearly any HP Printer. Go to www.hp.com/go/mpd4w

Finance, service and support

With HP’s flexible acquisition and upgrade to maintenance and service options like HP installation, maintenance kits, extended warranties etc. you can integrate the HP LaserJet 9040/9050 series printer into your environment in a way that make sense for your business.

Advanced paper handling options



8-bin mailbox – Each mailbox bin can be assigned to an individual, workgroup, or department for easy job retrieval. The mailbox is also equipped with a sorter/collator, stacker, and job separator.



Stacker – Stacks up to 3,000 sheets of paper with job offset.



Stapler/stacker – Provides 3000-sheet stacker capabilities as well as multi-position stapling for up to 50 sheets of paper per job.



Multifunction finisher – Provides 1,000 sheets of stacking capacity, stapling for up to 50 sheets of paper per job, plus folding and saddle stitching for booklets of up to 10 sheets of paper.

Technical specifications

	HP LaserJet 9040 Printer series	HP LaserJet 9050 Printer series																
Print technology	Monochrome Laser	Monochrome Laser																
Print speed	A4: up to 40 ppm A3: up to 28 ppm First page out: less than 8 secs	A4: up to 50 ppm A3: up to 28 ppm First page out: less than 8 secs																
Processor	533 MHz, 20KC MIPS Microprocessor																	
Memory	Base models: 64 MB RAM, n/dn models: 128 MB RAM Expandable to 512 MB through 2 DDR DIMM slots using Double Data Rate memory technology Optional, 20 GB HP High-performance EIO hard disk																	
Print quality	Best: FastRes 1200 (1200 dpi quality), draft: up to 600 x 600 dpi																	
Printer languages	HP PCL 5e, HP PCL 6, HP Postscript Level 3 Emulation, PDF v 1.3 emulation, XHTML-Print v 0.95, HP PJI (Printer Job Language), PML (Printer Management Language)																	
Economical printing	Economode, duplex and N-up printing																	
Typefaces/fonts	80 scalable TrueType fonts																	
Duty cycle	Up to 300,000 pages per month																	
Print margins	A4 and A3: top: 1 mm, left: 1 mm, right: 1 mm, bottom, 1 mm																	
Media handling	<table border="1"> <thead> <tr> <th>Input</th> <th>Capacity</th> <th>Weight</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Tray 1</td> <td>100 sheet</td> <td>64 to 216 g/m²</td> <td>A4, B4, B5, A3, A5, custom: 99 x 191 to 297 x 432 mm</td> </tr> <tr> <td>Tray 2/3</td> <td>500 sheet</td> <td>64 to 199 g/m²</td> <td>A4, B4, B5, A3, A5, custom: 148 x 210 to 297 x 432 mm</td> </tr> <tr> <td>Duplex Unit</td> <td>-</td> <td>64 to 199 g/m²</td> <td>-</td> </tr> </tbody> </table>	Input	Capacity	Weight	Size	Tray 1	100 sheet	64 to 216 g/m ²	A4, B4, B5, A3, A5, custom: 99 x 191 to 297 x 432 mm	Tray 2/3	500 sheet	64 to 199 g/m ²	A4, B4, B5, A3, A5, custom: 148 x 210 to 297 x 432 mm	Duplex Unit	-	64 to 199 g/m ²	-	
Input	Capacity	Weight	Size															
Tray 1	100 sheet	64 to 216 g/m ²	A4, B4, B5, A3, A5, custom: 99 x 191 to 297 x 432 mm															
Tray 2/3	500 sheet	64 to 199 g/m ²	A4, B4, B5, A3, A5, custom: 148 x 210 to 297 x 432 mm															
Duplex Unit	-	64 to 199 g/m ²	-															
Interface and connectivity	Standard: base models: IEEE 1284-B compliant parallel port, 2 open EIO slots, n/dn models: IEEE 1284-B compliant parallel port, HP Jetdirect Fast Ethernet Internal Print Server, 2 open EIO slots Optional: HP Jetdirect Internal Print Servers, external print servers, connectivity card for USB/serial/LocalTalk, and wireless connectivity. Optional HP Jetdirect 625n EIO Internal Print Server; HP Jetdirect 620n Fast Ethernet EIO Internal Print Server; HP Jetdirect 680n 802.11b Wireless EIO Internal Print Server; HP Jetdirect EIO Connectivity Card; HP Jetdirect 300x External Print Server (parallel port); HP Jetdirect 500x External Print Server (3 parallel ports); HP bt1300 Bluetooth® Wireless Print Adapter (for USB 1.1 or parallel)																	
Operating systems compatibility	Standard: Microsoft® Windows® 98, Me, NT, 2000, XP, Server 2003, Macintosh OS 9, OS 10 Optional: Printer driver support for the following OS provided via Internet: UNIX®, Linux, OS/2 Current drivers and software are available from the Internet. Depending on the configuration of Microsoft Windows driven computers, the installation program for the printer software automatically checks the computer for Internet access to obtain the latest software.																	
Network operating systems compatibility	Standard: Microsoft® Windows® 98, Me, NT 4.0, 2000, XP, XP 64-Bit, Server 2003; Novell™ NetWare 3.2, 4.2, 5.x, 6.x; Apple Mac OS 8.6 and later; Red Hat Linux 6.x and later; SuSE Linux 6.x and later; HP-UX 10.20, 11.x; Solaris™ 2.5x, 2.6, 7, 8, 9, 10 (SPARC systems only); IBM® AIX 3.2.5 and later; MPE-iX Optional: OS/2, UNIX, Linux; basic printing support for DOS. Current software and drivers are available from the Internet.																	
Minimum system requirements	Microsoft® Windows® 95 (basic functions only), 98: Pentium® 90 with 16 MB RAM; Windows Me: Pentium 150 with 32 MB RAM; Windows NT® 4.0: Pentium 90 with 32 MB RAM; Windows 2000: 300 MHz Processor with 64 MB RAM; Windows XP: 233 MHz Processor with 64 MB RAM; 180 MB free hard disk space for Windows, 160 MB for Mac; Mac OS 8.6, 9.0, 9.0.4, 9.1, 9.2, 10.1; CD-ROM drive or Internet connection; dedicated IEEE 1284 parallel port																	
Standard software	Print drivers and installation software on CD-ROM (HP PCL 5e, HP PCL 6, HP Postscript Level 3 Emulation)																	
Control panel	3 light-emitting diode (LED) indicator lights, 4 navigation buttons, dedicated Help button, dedicated Menu button, 10-key numeric pad, 4-line display, dedicated Stop button																	
Power	Requirements: 110 to 127 VAC (± 10%), 50/60 Hz (± 2 Hz); 220 to 240 VAC (± 10%), 50/60 Hz (± 2 Hz). Supply: Internal Consumption: Printing: 1000 watts, Off: 0.7 watts (base), 0.3 watts (n/dn), Powersave: 18 watts (base), 36 watts (n/dn), Standby: 197 watts (base), 205 watts (n/dn) Values current as of April 12, 2004. Power reported is the highest values measured using all standard voltages. See www.hp.com/support/lj9050 for current information.																	
Dimensions (w x d x h)	Out of package: 638 x 600 x 633 mm; packaged: 911.9 x 789.9 x 721.4 mm																	
Weight (out of package/packaged)	Base models: 63.5 kg/79 kg, n models: 69.4 kg/83.1 kg, dn models: 76.2 kg/89.8 kg																	
Printer management	HP Web Jetadmin																	
Operating environment	Environmental ranges: operating temperature: 10 to 32.5° C, recommended operating temperature: 10 to 32.5° C, operating humidity: 10 to 80% RH, recommended operating humidity: 10 to 80% RH, storage temperature: 0 to 40° C, storage humidity: 10 to 90% RH. Noise level per ISO 9296: sound power: 1wAd 7.2 B(A) (printing A4 simplex from Tray 3 at 50 ppm), sound pressure: 1pAm Active (bystander): 56 dB(A), standby (bystander): 40 dB(A)																	
Certifications	Safety certifications: Argentina (TUV S Mark-Rs.92/98/Ds.1009/98), Australia (AS/NZ 3260), Canada (cUL-CAN/CSA C22.2 No.60950-00), China (GB4943), Czech Republic (CSN-IEC 60950-IEC 60825-1), Estonia (EEI-EN60950-IEC 60825-1), EU (CE Mark-Low Voltage Directive 73/23/EEC), Germany (TUV-EN60950-IEC 60825-1), Hungary (MEEI-IEC 60950-IEC 60825-1), Japan Radio Law, Lithuania (LS-IEC 60950-IEC 60825-1), Mexico (NOM NYCE-NOM 019 SCFI), Poland (B Mark-IEC 60950-IEC60825-1), (Russia (GOST-R50377), Slovakia (IEC 60950-IEC60825-1), Slovenia (SQI-IEC 60950-EN60825-1), South Africa (IEC 60950-IEC60825-1), USA (UL/UL 60950, FDA-21 CFR Chapter 1 Subchapter J for lasers); Class 1 laser/LED product EMC certifications: CISPR 22: 1997/EN 55022: 1998 Class B, EN 61000-3-2: 2000, EN 61000-3-3: 1995, EN 55024: 1998, FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 4/GB9254-1998, GB17625.1-2003, EMC Directive 89/336/EEC and the Low Voltage Directive 73/23/EEC, and carries the CE-Marking accordingly. Energy Star®																	
Warranty	One-year next-day on-site warranty																	

Ordering information

HP LaserJet 9040 Printer series	
Q7697A	HP LaserJet 9040 printer
Q7698A	HP LaserJet 9040n printer
Q7699A	HP LaserJet 9040dn printer
HP LaserJet 9050 Printer series	
Q3721A	HP LaserJet 9050 printer
Q3722A	HP LaserJet 9050n printer
Q3723A	HP LaserJet 9050dn printer
Paper handling	
C8531A	HP 2000-sheet Optional Input Tray
C8568A	HP Multipurpose Tray
C8084A	HP Output Stacker
C8085A	HP Output Stacker/Stapler
C8091A	HP Staple Cartridge
C8532A	HP Automatic Duplex Unit
Q5693A	HP 8-bin Mailbox
C8088B	HP Multifunction Finisher
Memory	
J6073A	HP 20 GB EIO hard disk
Q2625A	HP 64 MB 100-pin DDRAM DIMM
Q2626A	HP 128 MB 100-pin DDRAM DIMM
Q2627A	HP 256 MB 100-pin DDRAM DIMM
Q2628A	HP 512 MB 100-pin DDRAM DIMM
Supplies	
C8543X	HP LaserJet SmartPrint Cartridge (30,000 standard pages in accordance with ISO/IEC 19752)
C9152A	HP 110V Maintenance Kit (350,000 pages)
C9153A	HP 220V Maintenance Kit (350,000 pages)
Connectivity	
J7934A	HP Jetdirect 620n Fast Ethernet Print Server
J7960A	HP Jetdirect 625n Gigabit Ethernet Print Server
J6058A	HP Jetdirect 680n 802.11b Internal Wireless Print Server
J3263A	HP Jetdirect 300x Ethernet/Fast Ethernet
J3265A	HP Jetdirect 500x Ethernet/Fast Ethernet
J4135A	HP Jetdirect Connectivity Card: USB, serial, and LocalTalk
J6072A	HP bt1300, Bluetooth® Print Adapter
Service & support	
H7694A/E	HP Care Pack, next business day on-site response, 3 years
H7599A/E	HP Care Pack, next business day on-site response, 1.8 million pages, 3 years
H7696A/E	HP Care Pack, on-site response within 4 hours, 3 years
H7603A/E	HP Care Pack, on-site response within 4 hours, 1.8 million pages, 3 years

<http://www.hp.com>

For more information, please call your local HP sales office or representative: **Albania:** +49 89 9396 1803; **Algeria:** +213 (0) 61 56 45 43; **Austria:** +43 (0) 810 00 60 80; **Bahrain:** 800 171; **Belgium:** +32 (02) 729 71 11; **Bulgaria:** +359 2 960 19 40; **Bosnia-Herzegovina:** +49 89 9396 1803; **Commonwealth of Independent States (CIS):** +(095) 923 50 01; **Croatia:** +385 1 606 02 00; **Czech Republic:** +420 261 10 81 11; **Denmark:** +45 45 99 10 00; **Egypt:** HP +202 345 13 52 or CPQ +202 792 50 70; **Estonia:** +372 6 813 820; **Finland:** HP Myyntipalvelu 010 217 2700; **France:** +33 (0) 826 800 400; **Germany:** +49 0180 532 62 22; **Greece:** +30 801 11 22 55 47; **HP East Africa,** Authorized Consultant: +254 20 271 6111; **Hungary:** +36 (1) 382 11 11; **Iceland:** +354 (1) 67 10 40; **Ireland:** +353 1 615 82 00; **Israel:** +972 9 830 48 48; **Italy:** Personal computer, Server Intel e periferiche +39 02 92607 330, Server e workstation UNIX, Storage, OpenView +39 02 92607 322; **Kazakhstan & Kyrgyzstan:** +7 327 2 58 43 43; **Latvia:** +371 703 07 00; **Lithuania:** +370 5 2103 300; **Macedonia:** +49 89 9396 1803; **Malta:** +49 89 9396 1803; **Middle East** (Within UAE Toll Free): 800 45 20; **Moldova:** +49 89 9396 1803; **Morocco (African Region):** Call Centre +212 22 40 47 47, HP Sale Office +212 22 97 37 37; **Netherlands:** +31 (30) 222 2000; **Nigeria:** +234 1 26 26 720 / 1; **Norway:** +47 24 09 70 00; **Poland:** 0 801 522 622 and/or 00 48 565 77 00; **Portugal:** +351 (1) 301 73 43; **Romania:** +40 (21) 303 83 00; **RSA:** +0800 11 88 83; **Russia:** +7 095 797 37 97; **Slovenia:** +386 1 230 74 20; **Slovakia:** 0800 147 147; **Saudi Arabia:** +800 897 14 33; **Serbia and Montenegro:** +381 11 201 99 00; **South Africa:** 0800 11 88 83; **Spain:** +34 (91) 631 16 00; **Sweden:** +46 200 27 00 00; **Switzerland:** Pre-sales/product information +41 (0) 848 88 44 66, Spare parts, manuals +41 (0) 848 84 74 64; **Tunisia:** +216 1 89 12 22; **Turkey:** +90 (216) 579 79 00; **UAE** (Toll Free): 800 45 20; **United Kingdom:** HP Teleweb Glasgow +44 (0) 845 270 40 00; **Ukraine:** +380 44 490 61 20.

