



Essential features and performance in an LCD monitor enabling simple PC and monitor configurations.

## HP L1906i Flat Panel Monitor

The HP L1906i Flat Panel Monitor offers a unique, modular approach that combines the superior front of screen performance of an LCD monitor with the convenience of a stand designed to house an HP Compaq dc7800 Ultra-slim Desktop PC or HP Thin Client. This compact configuration makes more efficient use of space-constrained environments.

### Improved technology

This monitor features many of the latest flat panel technologies available, including: substantial brightness (up to 270 cd/m<sup>2</sup>)<sup>1</sup>, high contrast ratio (up to 500:1)<sup>1</sup>, improved response times (as fast as 5 ms)<sup>1</sup>, wide viewing angles enabling comfortable viewing from anywhere in the room, and a full range of tilt, swivel, and height-adjustment settings which enable users to find a comfortable viewing position.

### Smart software

HP Display LiteSaver allows Sleep mode scheduling at preset times to help protect against image retention and lower power consumption and energy costs. HP Display Assistant enables monitor adjustment and color calibration through the connected PC.

### Exclusive design

The HP L1906i monitor includes the HP Quick Release and the HP Compaq dc7800 Series Integrated Work Center (IWC) Stand designed for the full-featured HP Compaq dc7800 Ultra-slim Desktop PC and HP Thin Client (sold separately). The monitor helps simplify placement of the PC/Thin Client and monitor solutions in space-constrained and public-traffic areas, including: retail POS/kiosks, mainstream office/cubicles, financial/trading environments, healthcare/laboratories. The built-in IWC Stand stores the PC or Thin Client securely out of the way behind the monitor. The convenient cable management solution keeps all of the PC cables together and hidden from view.

### Service and support

The HP L1906i monitor comes with a three-year limited warranty, making easy for IT departments to purchase, install, and maintain. The HP warranty is supported by 65,000 IT service and support professionals in 160 countries around the world.

<sup>1</sup> All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may be either higher or lower.



# HP L1906i Flat Panel Monitor

<b>Type</b>	Active Matrix TFT (thin film transistor); anti-glare and anti-static coatings
<b>Viewable image area</b>	19 inches diagonal
<b>Viewing angle</b>	140° horizontal, 130° vertical
<b>Brightness</b>	270 nits
<b>Contrast ratio</b>	500:1
<b>Response rate</b>	5 ms
<b>Dot/Pixel pitch</b>	0.294 mm
<b>Frequency</b>	Horizontal frequency: 30–83 kHz, Vertical frequency: 50–76 Hz
<b>Resolution</b>	1280 x 1024 @ 60 Hz (native), all VESA modes up to 1280 x 1024 @ 75 Hz
<b>Input signal</b>	15-pin D-sub (Analog VGA)
<b>Video cable</b>	15-pin D-sub mini connector, detached
<b>User controls (on-screen display)</b>	Size and positioning, contrast, brightness, clock, clock phase, selectable color temperature, sleep timer, power saver, factory reset, image control (auto, horizontal, vertical)
<b>Base features</b>	Tilt range: -5° to +20° vertical tilt, swivel range: -180° to +180°, height adjust: 155 mm, detachable base.
<b>Self-powered USB 2.0 hub</b>	VGA ports
<b>Software</b>	HP Display Assistant is a software utility that allows monitor adjustment and color calibration using the Display Data Channel Command Interface (DDC/CI) protocol of the connected PC. The HP Display LiteSaver feature allows you to schedule Sleep mode at preset times to help protect the monitor against image retention, drastically lower power consumption and energy costs, and extend the lifespan of the monitor.
<b>Graphics controller</b>	Genesis, mStar
<b>Power consumption</b>	37 watts maximum, 33 watts typical
<b>Power supply</b>	Auto-ranging, 100 to 240 VAC, Internal power supply, 50 to 60 Hz (built-in power supply)
<b>Power Consumption, Standby</b>	2 watts
<b>Dimensions (W x D x H)</b>	42.2 x 5.9 x 36.2 cm
<b>Weight</b>	7.6 kg
<b>Certifications, compliances</b>	ISO 13406-2 pixel defect guidelines, MPR-II, CISPR, VCCI, CSA (Canada), ACA (Australia), TUV and GS Mark (German ergonomic), BSMI (Taiwan), CCC (China), MIC (South Korea), NOM (Mexico), Eastern European approvals, CE marking, FCC approval, Energy Star, TCO '03 (emissions, ergonomics, environment), Microsoft® Windows® certified (Microsoft® Windows® 2000, Microsoft® Windows® XP, and Windows Vista®), UL listed, GOST (Russia), SASO (Saudi Arabia)
<b>Warranty</b>	Limited 3 years parts, labour and on-site service, including backlight. Availability varies by region. Certain restrictions and exclusions apply. For details, contact HP Customer Support or Service.

© 2007 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation in the United States and/or other countries.

For more information, please visit [www.hp.com/eur/monitors](http://www.hp.com/eur/monitors)

4AA1-3926EEE. September 2007



# HP L1906i Flat Panel Monitor

## Recommended accessories

### HP Flat Panel Speaker Bar



Attaches seamlessly to the front bezel of your monitor to add full multimedia support features, including stereo speakers with full sound range and an external jack for headphones.

Product number: EE418AA

### HP Kensington Security Lock



Peace of mind in an instant. This handy cable lock device attaches itself to your hardware and is then secured to an anchor point in your workspace, ensuring your hardware remains exactly where it should.

Product number: PC766AA

# pepper.

Approved  
Not Approved

---

Date

---

Project / Number

--	--

Finishing Artist

Initials

--	--

Graphic Artist

Initials

--	--

Proofreader

Initials

--	--

Account Manager

Initials

--	--

Senior Account Manager

Initials

--	--

Senior Finishing Artist

Initials

--	--

Production

Initials