

ThinkCentre M58e Tower

Model Name: 7491A5G
Part Number: SLVA5UK




Monitor not included

- [Accessories](#)
- [Find a dealer](#)

Windows®. Life without Walls™. Lenovo recommends Windows.

We're here to help



Easy ways to get the answers you need.


[Contact a dealer](#)

Page Tools

[Take a quick survey](#)

Literature

Download the latest brochures from our Literature area



FEEDBACK 

General

Model Name: 7491A5G
Description: ThinkCentre M58e Tower

[Back to top](#)

Operating System

Operating system provided: Genuine Windows Vista Business

[Back to top](#)

Architecture

Bus type/architecture: PCI/PCI Express
Slots x bays total (Available): 2(4) x 5(2)
Orientations allowed: Vertical
Form factor: Tower

[Back to top](#)

Processor

Processor manufacturer: Intel
Processor (CPU)²: Intel® Pentium® Dual-Core E5200 Processor
Processor internal clock speed²: 2.50GHz
Front Side Bus: 800MHz

[Back to top](#)

Memory

Memory (RAM) std/max: 2GB / 4GB
RAM slots total: 2 DIMM
RAM slots available: 1 DIMM
RAM speed: 800MHz
RAM type: PC2-6400 DDR2 SDRAM

[Back to top](#)

Hard Disk

Hard disk size¹: 250GB
Hard disk type: Serial ATA

[Back to top](#)

Graphics Subsystem

Graphics Type: --
Graphics Chip Set: Intel Integrated Graphics X4500
Video RAM Type: DVMT
Max resolution (with max video RAM): 2048x1536 16777216 colors
Max colors (with max video RAM): 16777216
Graphics Bus Interface: PCI Express

[Back to top](#)

Optical device

Optical device/speed: DVD Recordable 12X Max
Floppy diskette size: --

Recommended Accessories

[† Back to top](#)

Audio

Speakers: 1 (Internal Speaker)
Integrated speakers: 1
Audio chipset: ALC662

[† Back to top](#)

Communications

Ethernet description: Gigabit Ethernet
Ethernet interface type: Gigabit Ethernet- Integrated
Ethernet speed: 1000Mbps,100Mbps,10Mbps

[† Back to top](#)

Standard Features

Mouse: USB Optical Wheel Mouse
Keyboard type: Preferred Pro Full Size

[† Back to top](#)

Security

Security features: USB port individual disable
Privileged access password
Serial port I/O control
Startup sequence control
Startup without keyboard, mouse,
diskette drive
Chassis intrusion switch
Computrace
Diskette I/O control
Hard disk drive password
Kensington Lock Standard Enabled
Power on password

[† Back to top](#)

Limited Warranty ³

Type of service: On-site
Warranty period: Three year parts and labour

[† Back to top](#)

Weight & Dimensions ⁶

Weight: 11Kg
Height: 402mm
Width: 175mm
Depth: 440mm

[† Back to top](#)

Expansion options

Slots x bays total (free) 2(4) x 5(2)
Slots total (free) and type: 2(2) PCI Full height, 1(1) PCI
Express 1X Full height, 1(1) PCI
Express 16X Full height

Plug and play support: Yes
Parallel port type: 1 Parallel
Ports: Serial
2 Internal High Speed USB 2.0
2 PS/2
6 USB 2.0 (2 front, 4 back)
External Display (VGA)
Line out (front)
Microphone (front)
RJ-45

[† Back to top](#)

Power management ⁵

Power: 280W
Power supply type: 110-220 volt (50/60Hz)

[† Back to top](#)

Software

Supported operating systems:

Linux Ubuntu
Novell Linux
Red Hat Linux
Windows Vista Business
Windows Vista Business 64
Windows Vista Home Basic
Windows Vista Ultimate

Productivity applications:

Communication/networking:

Device drivers/utilities:

* [Back to top](#)**▶ Important Legal Information**© Copyright 2006. All rights reserved. http://www.lenovo.com/ie/en/?epi=web_expressapi