



# HP Compaq LA1905wg 19-inch Widescreen LCD Monitor

Type	TN; Anti-glare and anti-static coatings
Picture tube	19 inches widescreen
Viewable image area	19 inches diagonal
Viewing angle	160° horizontal, 160° vertical
Brightness	250 nits
Contrast ratio	1000:1
Response rate	5 ms (on/off)
Dot/Pixel pitch	0.283 mm
Frequency	Horizontal Frequency: 24 to 83 kHz (VGA input) Vertical Frequency: 50 to 76 Hz (VGA input)
Recommended resolution	Preset VESA Modes (non-interlaced): 640 x 480 @ 60 Hz, 800 x 600 @ 60 Hz, 1024 x 768 @ 60 Hz, 1280 x 960 @ 60 Hz, 1280 x 1024 @ 60 Hz, 1440 x 900 @ 60 Hz Text Mode: 720 x 400 @ 70 Hz
Input signal	VGA, DVI-D, DisplayPort connectors and HDCP support
Video cable	VGA, DVI-D, USB, DisplayPort
User controls (on-screen display)	Brightness, contrast, positioning, color temperature (6500k, 9300k, sRGB, custom), display, clock, clock phase, monitor management, factory reset
Base features	Tilt range: -5° to +35° vertical tilt, swivel range: -170° to +170°, height adjust: 120 mm, pivot rotation: 90° into portrait orientation, base: attached
Self powered USB 2.0 hub	USB 2.0 Hub: Self-powered one upstream, two downstream ports (cable included)
Software	HP Display Assistant is a software utility that enables theft deterrence and allows monitor adjustment, color calibration and security/asset management using the Display Data Channel Command Interface (DDC/CI) protocol of the connected PC. Pivot Pro software now integrated into HP Display assistant interacts with your PC's native graphics driver to enable seamless portrait screen redraws with a simple mouse-click or keyboard command. Pivot Pro supports 90-degree portrait and landscape views. HP Display LiteSaver allows you to schedule Sleep mode at preset times to help protect the monitor against image retention, drastically lower power consumption and energy costs and extend the lifespan of the monitor. Language support is available in English, Japanese, French, German, Spanish, Italian, and Traditional and Simplified Chinese.
Power consumption	33 watts maximum, 26 watts typical
Power supply	Auto-Sensing, 100 to 240 VAC, 50 +/-3 Hz to 60 +/-3 Hz
Power Consumption, Standby	2 watts
Dimensions (W x D x H)	44.5 x 6.0 x 29.4 cm
Weight	6.2 kg
Certifications, compliances	TCO Displays 5.0, ISO 9241-307, CISPR Requirements, VCCI Approvals, KC and KCC (Korean) Requirements, CSA 60950-1, UL 60950-1, EN55022 Class B, CNS 13438 Class B, IEC 60950-1, China Energy Label (CEL), China MEPS, Korea MEPS (pending, Energy Boy), SmartWay – NA only - Energy logistics, EUP Lot 6 Tier 1 AS/NZS 3548 Class B Approval, "GS" Mark, TUV Approvals, GEEA, CE Marking, FCC Part 15 class B Approval, ENERGY STAR® qualified, EN55024 Class B, EN60950 -1, CUL, CCC, IT ECO (EDS), EPEAT™ Gold (select regions)
Warranty	Limited 3 years parts, labour and on-site service, including backlight. Availability varies by region. Certain restrictions and exclusions apply. For details, contact HP Customer Support or Service

<sup>1</sup> All performance specifications represent the typical specifications provided by HP's component manufacturers actual performance may vary either higher or lower. The information contained herein is subject to change without notice

<sup>2</sup> In advance of the October 31, 2009 effective date.

For more information, please visit [www.hp.com/eur/monitors](http://www.hp.com/eur/monitors)

# HP Compaq LA1905wg 19-inch Widescreen LCD Monitor

## Recommended accessories and services

### HP Integrated Work Center Stand



Easily attach a 17-, 19-, or 22-inch HP LCD monitor and an HP Compaq dc7800 Ultra-slim Desktop PC or HP Thin Client on a single stand for the convenience of an "all-in-one" form factor <sup>3</sup> for the exact desktop configuration you need.

Product number: GN783AA

### HP LCD Speaker Bar



Attach seamlessly to the front bezel of your monitor to add full multimedia support features, including stereo speakers with full sound range and an external jack for headphones.

Product number: NQ576AA

### HP Quick Release



A secure and easy-to-use mounting solution for your VESA-compliant HP flat panel monitors, thin clients and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace.

Product number: EM870AA

### HP Kensington MicroSaver Security Cable Lock



Peace of mind in an instant. This handy cable lock device attaches itself to your hardware and is then secured to an anchor point in your workspace, ensuring your hardware remains exactly where it should.

Product number: PC766A

### 5 years Next Business Day Onsite, HW Support



Receive next business day onsite repair from an HP-qualified technician for your failed hardware unit, if the issue cannot be solved remotely.

Product number: U7935E

<sup>3</sup> Units sold separately.

For more information, please visit [www.hp.com/eur/hpoptions](http://www.hp.com/eur/hpoptions)

© 2009 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft, Windows and Windows Vista are trademarks of the Microsoft group of companies. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. ENERGY STAR is a registered mark owned by the U.S. government.

4AA2-8378EEE, October 2009

